


# Tandem trolley JTLB 30 G

For transporting loads without a center point support - the tandem trolleys JTLB 30 G for loads up to 30 t.

**Product number** 12 302 140-V2

**Weight** 283kg



## Product description

Advantages of tandem trolleys JTLB 30 G professional

- Big castors provide optimal rolling characteristics on uneven surfaces and rough pavements.
- Safely overcomes small ledges, cracks in the concrete and countersunk rail tracks.
- Multi-purpose use: also useable as two single trolleys, each with half of the combined load capacity. No additional accessories needed.
- Custom solutions available.
- Tandem transport trolley in other lengths available on request.

## Product properties

<b>Steerable dimensions (mm)</b>	1 380 x 610
<b>Weight JUWATHAN®plus (kg)</b>	283
<b>Number of castors (Pieces)</b>	24
<b>Handlebar with pulling eye (mm)</b>	1 230
<b>Adjustable from - to Vmin. - Vmax. (mm)</b>	1 270 - 1 600
<b>Total length/width (mm)</b>	1 620 x 2 200
<b>Load capacity (t)</b>	30
<b>Castor dimensions (Ø x l mm)</b>	140 x 59
<b>Height (mm)</b>	180
<b>Adjustable</b>	3 x
<b>Supporting surface per turnable</b>	215
<b>Width of track and connection rod (mm)</b>	1 700

More images

