

# Transport trolley JLA-e 15/30 G with stroke facelift

The electric-powered transport trolley JLA-e 15/30 G is easy to operate and does not require an additional towing vehicle. Stroke of 50 mm and suitable for loads up to 30 tons.

**Product number** 22 015 210-G hub

**Weight** 380kg



## Product description

Advantages of the electric-powered transport trolleys JLA-e 15/30 G with stroke

- Maximum stroke of 50 mm.
- The load can be moved when fully extended.
- No separate towing vehicle is required.
- Compact and practical, with battery operation and a user-friendly wireless remote control. Based on 2.4 GHz technology, equipped with a wired connection socket, allowing for one- or two-handed operation, vibration feedback, and other features.
- Long runtime (under full load in ideal conditions) of approximately 4-5 hours due to a direct-drive motor.
- The new generation of drives prevents rolling, even when powered off.
- The new battery display shows various parameters in real time, such as voltage, current, or charge status.
- Short charging time for the self-propelled transport unit JLA-e 15/30 G.
- Rotatable by 360°.
- Stepless speed control.
- Compact external dimensions.
- The electric transport trolley is compatible with the G series trolleys (adjusted installation height). These are not included in the delivery.
- The advanced LiFePo4 cell technology, with higher energy density, allows for a more compact design.
- Side cover plates with JUNG branding provide dirt protection and a visually appealing design.

## Product properties

<b>Operational time (h)</b>	4 - 5
<b>Dimensions (mm)</b>	1 050 x 1 215
<b>Weight with battery (kg)</b>	315
<b>Battery and charger</b>	1 x
<b>Speed (m/min)</b>	6,5
<b>Supporting surface of turnable Ø (mm)</b>	215
<b>Remote control, charger and belt with holder</b>	1 x
<b>Number of castors (Pieces)</b>	16
<b>Stroke (mm)</b>	50
<b>Castor dimensions (Ø x l mm)</b>	140 x 59
<b>Pulling capacity (t)</b>	30
<b>Height (mm)</b>	200
<b>Load capacity (t)</b>	15

More images

