

## Transport trolley JLA-p 15/30 G

The JLA-p 15/30 G transport trolley enables easy control, compact transport, and no battery charging time. Suitable for loads up to 30 tons.

**Product number** 22 150 140-V

**Weight** 250kg



### Product description

Advantages of the air-powered transport trolleys JLA-p 15/30 G

- Quick set up. Connect air supply hose and go.
- Spare a towing vehicle.
- Low maintenance propulsion system.
- All hoses are detachable for compact and easy transport.
- 360° maneuverable.
- No need to charge any batteries.
- Ecofriendly, uses only compressed air.
- Requires standard shop air connection with 8 bar (116 psi) and air volume of 1500 L ? min (25 L ? s) or (53 SCFM).
- Infinitely variable speed and direction.
- Compatible with G-series transport trolleys (page 32-33).
- Model JLA-p 15 ? 30 G includes the trolley and remote control unit.
- Two air motors are independently controllable by two joysticks.
- Maneuverability: Forward, reverse, in place turning.
- Higher capacities available on request.

## Product properties

<b>Air consumption (L/sec)</b>	25
<b>Dimensions (mm)</b>	650 x 1 000
<b>Supporting surface of turnable Ø (mm)</b>	215
<b>Required air pressure (bar)</b>	8
<b>Weight without control box (kg)</b>	175
<b>Number of castors (Pieces)</b>	16
<b>Castor dimensions (Ø x l mm)</b>	140 x 59
<b>Height (mm)</b>	180
<b>Pulling capacity (t)</b>	30
<b>Load capacity (t)</b>	15

### More images

