

Multi-purpose trolley JLF 3,5

Agile and powerful multi purpose transport trolley from JUNG. The JLF 3,5 transport trolley transports loads up to 3,5 t with an installation height of 150 mm.

Product number 16 035 085-D

Weight 25kg



Product description

Advantages of the multi-purpose transport trolley JLF 3,5

- Combined leading swiveling castors with trailing rigid castors. Swiveling leadcastors make steering easier by up to 80 %.
- Ergonomic: reduces handling effort for user.
- Better directional stability on long straight-line paths with trailing rigid castors.
- Each trolley can be used for either steerable or straight-line movements.
- Extreme maneuverable with thrust bearing supported, anti-slip turntable.
- Trolleys can be used as steerable, adjustable or tandem trolley.
- Ideal for transporting loads on slalom paths including 90° true-to-course straightline, turning and sideways maneuvering.
- Floor protective, non-marking coating.
- Low profile. Low weight.
- Included in set is an additional pulling handle for steering of rear-trailing trolleys for tighter turning radius.
- Inspected according to technical regulation ANSI ? ASME (USA)

Product properties

Castor dimensions (Ø x l mm)	85 x 43
Height (mm)	150
Dimensions (mm)	410 x 420
Supporting surface of turnable Ø (mm)	150
Load capacity (t)	3,5
Number of castors / twin castors (pcs.)	4/2
Weight JUWathan@plus (kg)	25

More images



