

# Multi-purpose trolley JLF Set 15

Agile and powerful multi purpose transport trolley from JUNG. The JLF Set 12 transport trolley transports loads up to 15 t with an installation height of 150 mm.

**Product number** 16 150 085-D

**Weight** 95kg



## Product description

Qualities of the multi-purpose transport trolley JLF Set 15

- The 15 t set includes: 3 x JLF5, 2 drawbars, and a connecting rod. The second drawbar is used for rear steering of the load being moved, allowing for very tight turning radii.
- Combined leading swiveling castors with trailing rigid castors. Swiveling lead castors make steering easier by up to 80 %.
- Ergonomic: reduces handling effort for user.
- Better directional stability on long straight-line paths with trailing rigid castors.
- Each trolley can be used for either steerable or straight-line movements.
- Extreme maneuverable with thrust bearing supported, anti-slip turntable.
- Trolleys can be used as steerable, adjustable or tandem trolley.
- Ideal for transporting loads on slalom paths including 90° true-to-course straight line, turning and sideways maneuvering.
- Floor protective, non-marking coating.
- Low profile. Low weight.
- Included in set is an additional pulling handle for steering of rear-trailing trolleys for tighter turning radius.

## Product properties

<b>Number of castors / twin castors (pcs.)</b>	3 x 4/4
<b>Handlebar with pulling eye (mm)</b>	1 210
<b>Castor dimensions (Ø x l mm)</b>	85 x 43
<b>Height (mm)</b>	150
<b>Weight JUWAtan®plus (kg)</b>	102
<b>Connecting bar Ø x L (mm)</b>	20 x 1 200
<b>Dimensions (mm)</b>	410 x 420
<b>Load capacity (suitable)</b>	11 - 15 t
<b>Supporting surface of turnable Ø (mm)</b>	150
<b>Load capacity (t)</b>	15

### More images



